IN THE CLAIMS

The following listing of claims will replace all prior versions and listings of claims in the above-referenced application:

1. (Canceled)

- 2. (Currently amended) The method of claim † 4, wherein the step of translating the received message is based on information included in one or more prior messages received by the B2B protocol exchange during the business conversation.
- 3. (Currently amended) The method of claim ± 4, further comprising the step of: storing information relating to the business conversation, the information being used for translating a subsequent message.
- 4. (Currently amended) The method of claim 1, further comprising the steps of: A method of communicating between two business entities, each of the business entities utilizing a different communication protocol, wherein a business conversation is established between the entities, the method comprising the steps of:

providing a business-to-business (B2B) protocol exchange for facilitating communications between the business entities, the B2B protocol exchange being operatively connected to the business entities;

receiving, at the B2B protocol exchange, a message from one of the business entities in a first communication protocol;

<u>translating the received message in the first communication protocol into a translated</u> <u>message in a second protocol used by another of the business entities;</u>

sending the translated message to the other business entity;

generating a conversation identifier associated with the business conversation; and inserting the conversation identifier into the translated message.

5. (Currently amended) The method of claim † 4, wherein the step of translating the received message further comprises the steps of:

determining a protocol of a target business entity; and translating the received message into the target business entity protocol.

6. (Currently amended) The method of claim 1, A method of communicating between two business entities, each of the business entities utilizing a different communication protocol, wherein a business conversation is established between the entities, the method comprising the steps of:

providing a business-to-business (B2B) protocol exchange for facilitating communications between the business entities, the B2B protocol exchange being operatively connected to the business entities;

receiving, at the B2B protocol exchange, a message from one of the business entities in a first communication protocol;

<u>translating the received message in the first communication protocol into a translated</u> <u>message in a second protocol used by another of the business entities; and</u>

sending the translated message to the other business entity;

wherein the step of sending the translated message to the other business entity further comprises the steps of:

identifying a postback universal resource locator (URL) associated with a target business entity; and

sending the translated message to the postback URL.

- 7. (Original) The method of claim 6, further comprising the step of: storing the postback URL associated with the target business entity.
- 8. (Canceled)

- 9. (Currently amended) The protocol exchange of claim 8 11, wherein the operation of translating the received message is based on information included in one or more prior messages received by the protocol exchange during the business conversation.
- 10. (Currently amended) The protocol exchange of claim 8 11, wherein the at least one processor is further operative to: (iv) store information relating to the business conversation, the information being used for translating a subsequent message.
- 11. (Currently amended) The protocol exchange of claim 8, In a business-to-business (B2B) framework including a plurality of business entities, a protocol exchange operatively connected to the business entities, the protocol exchange comprising:

at least one processor operative to: (i) receive a message from one of the business entities in a first communication protocol; (ii) translate the received message in the first communication protocol into a translated message in a second protocol used by another of the business entities; and (iii) send the translated message to the other business entity; and

memory coupled to the at least one processor, which stores information relating to at least one of the business entities and a business conversation established between two or more business entities in the B2B framework;

wherein the at least one processor is further operative to: (iv) generate a conversation identifier associated with the business conversation; and (v) insert the conversation identifier into the translated message.

- 12. (Currently amended) The protocol exchange of claim 8 11, wherein the at least one processor is further operative to: (iv) determine a protocol of a target business entity; and (v) translate the received message into the target business entity protocol.
- 13. (Currently amended) The protocol exchange of claim 8, In a business-to-business (B2B) framework including a plurality of business entities, a protocol exchange operatively connected to the business entities, the protocol exchange comprising:

at least one processor operative to: (i) receive a message from one of the business entities in a first communication protocol; (ii) translate the received message in the first communication protocol into a translated message in a second protocol used by another of the business entities; and (iii) send the translated message to the other business entity; and

memory coupled to the at least one processor, which stores information relating to at least one of the business entities and a business conversation established between two or more business entities in the B2B framework;

wherein the at least one processor is further operative to: (iv) identify a postback universal resource locator (URL) associated with a target business entity; and (v) send the translated message to the postback URL.

- 14. (Original) The protocol exchange of claim 13, wherein the at least one processor is further operative to: (vi) store the postback URL associated with the target business entity.
 - 15. (Canceled)
- 16. (Currently amended) The system method of claim 15 4, wherein the business entities are operatively connected to the protocol exchange via one or more networks.
 - 17. (Canceled)
 - 18. (Canceled)
- 19. (Currently amended) The article of claim 18 21, wherein the step of translating the received message is based on information included in one or more prior messages received during the business conversation.
 - 20. (Currently amended) The article of claim 18 21, further comprising the step of:

storing information relating to the business conversation, the information being used for translating a subsequent message.

21. (Currently amended) The article of claim 18, further comprising the steps of: An article of manufacture for communicating between two business entities, each of the business entities utilizing a different communication protocol, wherein a business conversation is established between the entities, the article of manufacture comprising a machine readable medium containing one or more programs which when executed implement the steps of:

receiving a message from at least one of the business entities in a first communication protocol;

<u>translating the received message in the first communication protocol into a translated</u> <u>message in a second protocol used by another of the business entities;</u>

sending the translated message to the other business entity; generating a conversation identifier associated with the business conversation; and inserting the conversation identifier into the translated message.

22. (Currently amended) The article of claim 18 21, wherein the step of translating the received message further comprises the steps of:

determining a protocol of a target business entity; and translating the received message into the target business entity protocol.

23. (Currently amended) The article of claim 18, An article of manufacture for communicating between two business entities, each of the business entities utilizing a different communication protocol, wherein a business conversation is established between the entities, the article of manufacture comprising a machine readable medium containing one or more programs which when executed implement the steps of:

receiving a message from at least one of the business entities in a first communication protocol;

<u>translating the received message in the first communication protocol into a translated</u> <u>message in a second protocol used by another of the business entities; and</u>

sending the translated message to the other business entity;

wherein the step of sending the translated message to the other business entity further comprises the steps of:

identifying a postback universal resource locator (URL) associated with a target business entity; and

sending the translated message to the postback URL.

24. (Original) The article of claim 23, further comprising the step of: storing the postback URL associated with the target business entity.